Acta Physiol Scand 1993; **147**, 467–470

Author index

Åkerlund, S. *see* Nilsson, U.

Alving, K. & Franco-Cerceda, A. The ability of ruthenium red to reduce the autonomic reflexes and peptide release evoked by capsaicin administration in the pig *in vivo*, 315

Andersson, E. *see* Fried, G.

Antila, K. *see* Metäslä, T.

Antonsson, B.-M. *see* Ek, B.

Arner, A., Malmqvist, U., Österman, Å. & Uvelius, B. Energy turnover and lactate dehydrogenase activity in detrusor smooth muscle from rats with streptozotocin induced diabetes, 375

Arokoski, J. *see* Marin, E.

Ask, P. *see* Janerot Sjöberg, B.

Astrup, A. *see* Simonsen, L.

Bechtel, *see* Yan, Z.

Beckett, S.D. *see* Sjöstrand, N.O.

Behrens, W.A. *see* Tiidus, P.M.

Benlamlih, S., Dahlborn, K. & Oukessou, M. Blood plasma kinetics of arginine vasopressin in camels, 341

Bergersen, T.K. A search for arteriovenous anastomoses in human skin using ultrasound Doppler, 195

Biral, D. *see* Larsson, L.

Bjerkhoel, P. *see* Lundvall, J.

Bonen, A. *see* McDermott, J.C.

Boutilier, R.G., Nikinmaa, M. & Tufts, B. Relationship between blood buffering properties, erythrocyte pH and water content, in gray seals (*Halichoerus grypus*), 241

Bratell, S. *see* Nilsson, U.

Buanes, T. *see* Grotmol, T.

Bülow, J. *see* Simonsen, L.

Byström, S. *see* Jensen, B.R.

Cabanac, M. *see* Rasche, W.

Campione, M. *see* Larsson, L.

Ceesay, S.M. *see* Murgatroyd, P.R.

Ceesay, S.M. *see* Sonko, B.J.

Chang, W.-C. *see* Chen, H.I.

Chen, H.I., Jen, C.J. & Chang, W.-C. Effects of exercise training on the biosynthesis of prostacyclin and thromboxane in rats, 109

Christensen, G. *see* Grotmol, T.

Clausen, T. *see* Everts, M.E.

Coward, W.A. *see* Murgatroyd, P.R.

Coward, W.A. *see* Sonko, B.J.

Dahlborn, K. *see* Benlamlih, S.

De Haan, A., De Ruiter, C.J., Lind, A. & Sargeant, A.J. Age-related changes in force and efficiency in rat skeletal muscle, 347

De Ruiter, C.J. *see* De Haan, A.

Edfeldt, H. & Lundvall, J. Sympathetic baroflex control of vascular resistance in comfortably warm man. Analyses of neurogenic constrictor responses in the resting forearm and in its separate skeletal muscle and skin tissue, 437

Edfeldt, H. *see* Lundvall, J.

Edvinsson, L. *see* Janssen, I.

Edwall, L. *see* Kerezoudis, N.P.

Eidenvall, L. *see* Janerot Sjöberg, B.

Ek, B. & Antonsson, B.-M. Studies of muscarinic receptor reserve linked to phosphoinositide hydrolysis in parotid gland and cerebral cortex, 289

Engel, B.T. *see* Talan, M.I.

Everts, M.E., Lømo, T. & Clausen, T. Changes in K^+, Na^+ and calcium contents during *in vivo* stimulation of rat skeletal muscle, 357

Fallentin, N. *see* Jensen, B.R.

Folkesson, H.G., Weström, B.R., Peirzynowski, S.G., Svendsen, J. & Karlson, B.W. Lung to blood passage of albumin and a nona-peptide after intratracheal instillation in the young developing pig, 173

Franco-Cerceda, A. *see* Alving, K.

Fredholm, B.B. Pre-synaptic regulation of hippocampal acetylcholine release is unaffected by calcium channel blockers and intracellular calcium chelation, 461

Friberg, P. *see* Wåhlander, H.

Fried, G., Liu, Y.A. & Andersson, E. Endothelin contracts human uterine myometrium by a partly dihydropyridine-sensitive mechanism, 131

Funato, A. *see* Kerezoudis, N.P.

Goldberg, G.R. *see* Murgatroyd, P.R.

Goldberg, G.R. *see* Sonko, B.J.

Gonzalez, E. *see* Salomonsson, M.

Goto, H. *see* Kawabata, H.

Green Y.S. *see* Thompson, C.H.

Grotmol, T., Rødnes, J.T., Buanes, T., Christensen, Christensen, G. & Landsvwerk, T. Atrial natriuretic factor (ANF) does not affect ion transport in human intestine but does in porcine intestine, 417

Hänninen, O. *see* Marin, E.

Hao, J.-X. *see* Wiesenfeld-Hallin, X.-J.

Haraldsson, B. *see* Johnsson, E.

HARALDSSON, B. *see* WÅHLANDER, H.
HARALDSSON, G. *see* NILSSON, U.
HASSI, J. *see* OKSA, J.
HERMANSEN, F. *see* SIMONSEN, L.
HEYERAS, K.J. *see* KRISTIANSEN, A.B.
HÖKFELT, T. *see* WIESENFELD-HALLIN, X.-J.
HOSSAINI-HILALI, J. & OLSSON, K. Lactation affects pressor, volumetric and natriuretic responses to angiotensin II in goats, 449
HOUSTON, M.E. *see* TIIDUS, P.M.
HU, N.-M. & THORN, N.A. Intermittent salt-loading for 10 days causes a temporary drop in amidating processing enzyme activity but a persistent drop in arginine-vasopressin in the rat neuropophysis, 459

ISHIKAWA, K., SHIRATO, K., SAKUMA, M., KANAZAWA, M., MUNKATA, K. & TAKASHIMA, T. Modification of regional myocardial performance caused by blood withdrawal and infusion in acute ischaemic canine heart, 59
IVARSSON, C. *see* LUNDVALL, J.

JANEROT SJÖBERG, B., EIDENVALL, L., LOYD, D., WRANNE, B. & ASK, P. Vascular characteristics influence the aortic ultrasound Doppler signal: computer and hydraulic model simulations, 271
JANSSEN, I., OLESEN, J. & EDVINSSON, L. 5-Hydroxytryptamine receptor characterization of human cerebral, middle meningeal and temporal arteries: regional differences, 141
JEN, C.J. *see* CHEN, H.I.
JENSEN, B.R., FALLENTIN, N., BYSTRÖM, S. & SJØGAARD, G. Plasma potassium concentration and Doppler blood flow during and following submaximal handgrip contractions, 203
JOHNSSON, E. & HARALDSSON, B. Addition of purified orosomucoid preserves the glomerular permeability for albumin in isolated perfused kidney, 1
JONSSON, O. *see* NILSSON, U.

KAGAMIHARA, Y. *see* NIELSEN, J.
KAJIMOTO, N. *see* OMOTE, M.
KANAZAWA, M. *see* ISHIKAWA, K.
KARLSON, B.W. *see* FOLKESSON, H.G.
KATZ, A. *see* YAN, Z.
KAWABATA, H., OSHIDA, J. & GOTO, H. Effect of allopurinol on myocardial purine release after total ischaemia in isolated rat heart, 337
KEREZOUDIS, N.P., FUNATO, A. & EDWALL, L. Activation of sympathetic nerves exerts an inhibitory influence on afferent nerve-induced vasodilation unrelated to vasoconstriction in rat dental pulp, 27
KIRKEBØ, A. *see* KRISTIANSEN, A.B.
KLINGE, E. *see* SJÖSTRAND, N.O.
KLINGER, W. *see* MARIN, E.
KORNFELD, M. *see* SALOMONSSON, M.
KRETZSCHMAR, M. *see* MARIN, E.
KRISTIANSEN, A.B., HEYERAS, K.J. & KIRKEBØ, A. Increased pressure in venous sinusoids during decongestion of rat mucosa induced by adrenergic antagonists, 151
KUHNEN, G. & MERCER, J.B. Selective brain cooling in resting and exercising Norwegian Reindeer (*Rangifer tarandus tarandus*), 281

LANDSVWERK, T. *see* GROTMOL, T.
LÄNNE, T. *see* LUNDVALL, J.
LARSSON, L., BIRAL, D., CAMPIONE, M. & SCHIAFFINO, S. An age-related type IIB to IIX myosin heavy chain switching in rat skeletal muscle, 227
LEDINGHAM, *see* THOMPSON, C.H.
LIND, A. *see* DE HAAN, A.
LIU, Y.A. *see* FRIED, G.
LØMO, T. *see* EVERTS, M.E.
LOYD, D. *see* JANEROT SJÖBERG, B.
LUNDBERG, J.M. *see* MODIN, A.
LUNDVALL, J. & EDFELDT, H. Much more potent baroflex sympathetic control of vascular resistance in the resting human limb than previously believed, 185
LUNDVALL, J. *see* EDFELDT, H.
LUNDVALL, J., BJERKHOEL, P., EDFELDT, H., IVARSSON, C. & LÄNNE, T. Dynamics of transcapillary fluid transfer and plasma volume during lower body negative pressure, 163

MADERE, R. *see* TIIDUS, P.M.
MADSEN, J. *see* SIMONSEN, L.
MALMQVIST, U. *see* ARNER, A.
MARIN, E., KRETZSCHMAR, M., AROKOSKI, J., HÄNNINEN, O. & KLINGER, W. Enzymes of glutathione synthasis in dog skeletal muscles and their response to training, 369
MARTINUSSEN, H.J., WALDENSTRÖM, A. & RONQUIST, G. Functional and biochemical effects of a K^+-ionophore on the isolated perfused rat heart, 221
MATTSSON, M.-O. *see* SELSTAM, G.
MCDERMOTT, J.C. & BONEN, A. Endurance training increases skeletal muscle lactate transport, 323
MENTHA, G. *see* SCHIFFER, E.R.C.
MERCER, J.B. *see* KUHNEN, G.
METSÄLÄ, T., SIIMES, A., ANTILA, K. & VÄLIMÄKI, I. Association of breathing movements to the variability of heart rate and blood pressure in foetal lambs, 213
MIZUSAWA, H. *see* OMOTE, M.
MODIN, A., PERNOW, J. & LUNDBERG, J.M. Neuropeptide Y and differential sympathetic control, 15
MOREL, D.R. *see* SCHIFFER, E.R.C.
MUNKATA, K. *see* ISHIKAWA, K.
MURGATROYD, P.R. *see* SONKO, B.J.
MURGATROYD, P.R., SONKO, B.J., WITTEKIND, A., GOLDBERG, G.R., COWARD, W.A., CEESAY, S.M. & PRENTICE, A.M. Non-invasive techniques for ass-

essing carbohydrate flux: I. measurement of depletion by indirect calorimetry, 91

Nielsen, J. & Kagamihara, Y. Differential projection of the sural nerve to early and late recruited human tibialis anterior motor units: change of recruitment gain, 385
Nikinmaa, M. *see* Boutilier, R.G.
Nilsson, I. *see* Selstam, G.
Nilsson, U., Haraldsson, G., Bratell, S., Sørensen, V., Åkerlund, S., Pettersson, S., Scherstén N., T. & Jonsson, O. ESR-measurement of oxygen radicals *in vivo* after renal ischaemia in the rabbit. Effects of pre-treatment with superoxide dismutase and hepa, 263

Öjteg, G. & Wolgast, M. Change density of renal interstitium, 297
Oksa, J., Rintamäki, H., Hassi, J. & Rissanen, S. Gross efficiency of muscular work during step exercise at −15° and 21 °C, 235
Olesen, J. *see* Janssen, I.
Oliw, E.H. Biosynthesis of 12 (S)-hydroxyeicosatetraenoic acid by bovine corneal epithelium, 117
Olsson, K. *see* Hossaini-Hilali, J.
Omote, M., Kajimoto, N. & Mizusawa, H. The ionic mechanism of phenylephrine-induced rhythmic contractions in rabbit mesenteric arteries treated with ryanodine, 9
Oshida, J. *see* Kawabata, H.
Österman, Å. *see* Arner, A.
Østgaard, G. & Reed, R.K. Intravenous saline infusion in rat increases in hyaluronan efflux in intestinal lymph by increasing lymph flow, 329
Otjeg, G. & Wolgast, M. Charge density of renal interstitium, 297
Oukessou, M. *see* Benlamlih, S.

Peirzynowski, S.G. *see* Folkesson, H.G.
Pernow, J. *see* Modin, A.
Persson, A.E.G. *see* Salomonsson, M.
Pettersson, S. *see* Nilsson, U.
Prentice, A.M. *see* Murgatroyd, P.R.
Prentice, A.M. *see* Sonko, B.J.

Radda, G.K. *see* Thompson, C.H.
Rajopalan, *see* Thompson, C.
Rasche, W. & Cabanac, M. Vasomotor response of the human face: laser-Doppler measurements during mild hypo- and hyperthermia, 431
Reed, R.K. *see* Østgaard, G.
Rintamäki, H. *see* Oksa, J.
Rissanen, S. *see* Oksa, J.
Rødnes, J.T. *see* Grotmol, T.
Ronquist, G. *see* Martinussen, H.J.

Sakuma, M. *see* Ishikawa, K.
Salomonsson, M., Gonzalez, E., Kornfeld, M. & Persson, A.E.G. The cytosolic chloride concentration in macula densa and cortical thick ascending limb cells, 305
Sargeant, A.J. *see* De Haan, A.
Scherstén N., T. *see* Nilsson, U.
Schiaffino, S. *see* Larsson, L.
Schiffer, E.R.C., Mentha, G., Schwieger, I.M. & Morel, D.R. Sequential changes in the splanchnic circulation during continuous endotoxin infusion in sedated sheep: evidence for a selective increase of hepatic artery blood flow and loss of the hepatic art, 251
Schwieger, I.M. *see* Schiffer, E.R.C.
Selstam, G., Nilsson, I. & Mattsson, M.-O. Changes in the ovarian intermediate filament desmin during the luteal phase of the adult pseudopregnant rat, 123
Shirato, K. *see* Ishikawa, K.
Siimes, A. *see* Metsälä, T.
Simonsen, L., Bülow, J., Madsen, J., Hermansen, F. & Astrup, A. Local forearm and whole-body respiratory quotient in humans after an oral glucose load: methodological problems, 69
Sjøgaard, G. *see* Jensen, B.R.
Sjöstrand, N.O., Beckett, S.D. & Klinge, E. Nervous regulation of the tone of the retractor penis muscle in the goat, 403
Sonko, B.J. *see* Murgatroyd, P.R.
Sonko, B.J., Murgatroyd, P.R., Goldberg, G.R., Coward, W.A., Ceesay, S.M. & Prentice, A.M. Non-invasive techniques for assessing carbohydrate flux: II. measurement of deposition using ^{13}C-glucose, 99
Sørensen, V. *see* Nilsson, U.
Spencer, M.K. *see* Yan, Z.
Svendsen, J. *see* Folkesson, H.G.

Takashima, T. *see* Ishikawa, K.
Talan, M.I. & Engel, B.T. Morning increase in whole blood viscosity: a consequence of a homeostatic nocturnal haemodynamic pattern, 179
Thompson, C.H., Green, Y.S., Ledingham, J.G., Radda, G.K. & Rajopalan, B. The effect of iron deficiency on skeletal muscle metabolism of the rat, 85
Thorn, N.A. *see* Hu, N.-M.
Tiidus, P.M., Behrens, W.A., Madere, R. & Houston, M.E. Muscle vitamin E levels following acute submaximal exercise in female rats, 249
Tufts, B. *see* Boutilier, R.G.

Uvelius, B. *see* Arner, A.

Välimäki, I. *see* Metsälä, T.

Wåhlander, H., Friberg, P. & Haraldson, B. Changes in myocardial capillary diffusion capacity during infusion of vasoactive drugs, 49

Wåhlander, H., Friberg, P. & Haraldsson, B. Capillary diffusion capacity for Cr-EDTA and cyanocobalamine in spontaneously beating rat hearts, 37

Waldenström, A. *see* Martinussen, H.J.

Wiesenfeld-Hallin, X.-J., Xu, J.-X., Hao, J.-X. & Hökfelt, T. The behavioural effects of intrathecal galanin on tests of thermal and mechanical nociception in the rat, 449

Weström, B.R. *see* Folkesson, H.G.

Wittekind, A. *see* Murgatroyd, P.R.

Wolgast, M. *see* Öjteg, G.

Wranne, B. *see* Janerot Sjöberg, B.

Xu, J.-X. *see* Wiesenfeld-Hallin, X.-J.

Yan, Z., Spencer,, Bechtel, & Katz, A. Regulation of glycogen synthase in human muscle during isometric contraction and recovery, 77

Acta Physiol Scand 1993; **147**, 471–473

Subject index

Acetylocholine, 461
Adenine nucleotides, 221
Adenosine receptor, 461
Afferent nerves, 27
Age, 347
Ageing, 227
Albumin, 1,173
Aldosterone, 449
α-adrenoceptors, 27
Allopurinol, 975
Amidation enzyme, 459
Anaemia, 85
Analgesia, 457
Angiotensin II, 449
Antioxidants, 369
Aortic flow, 271
Arterial compliance, 271
Arterial resistance, 271
Arteriovenous anastomoses (AVAs), 195
ATP, 357
Atrial natriuretic factor, 417
Atrial natriuretic peptide, 417
Autonomic innervation, 403
Autonomic reflexes, 315

Baroreceptors, 185, 437
Blood flow, 27, 185, 431, 437
Blood pressure, 449
Blood pressure (BP) variability, 213
Blood volume, 163
Bohr factor, 241
Bradykinin, 315

^{13}C-glucose, 99
Calcitonin gene-related peptide, 315
Calcium, 131
Calcium channel(s), 9, 131
Camel, 977
Capillary, 37, 49
Capillary filtration, 163
Capillary permeability, 1
Capsaicin, 315
Carnivore, 241
Cell count, 109
Cerebral cortex, 289
Chiral phase high performance liquid chromatography, 117
Circulatory occlusion, 77
Circulatory stress, 163
Cold, 235
Cornea, 117
Coronary vascular resistance, 49
Corpus luteum, 123
Cortical thick ascending limb cells (cTAL), 305
Cr-EDTA, 37
Cutaneous afferents, 385
Cyanocobalamine, 37
Cyclic AMP-dependent protein kinase, 77
Cyclic guanosine monophosphate, 417
Cytochrome P-450, 117
Cytosolic free chloride, 305

dDAVP, 173
Desmin, 123
Desmopressin, 173
Diabetes, 375
Diet, 249
Diurnal, 179
Diving mammals, 241
Doppler, 195

EC superoxide dismutase, 263
Echocardiography, 271
Efficiency, 347
Ejection phase, 59
Electro-osmosis, 297
Endothelin, 131
Endotoxaemia, 251
Energy charge, 221
Energy metabolism, 347
Erythrocyte ion concentrations, 241
Erythrocyte pH, 241
Erythrocyte water content, 241
ESR, 263
Evaporation, 431
Exercise, 91, 99, 249, 281
Exercise training, 109, 323
Extensor digitorum longus, 357
Extracellular matrix, 329

Fatigue, 77
Fixed charges, 297
Fluid balance, 341
Fluorescence digital imaging microscopy, 305
Fluorophore SPQ, 305
Foetal breathing movements (FBMs), 213
Forearm, 203

Glomerular, 1
Glucose 6-P, 77
Glucose load, 69
Glutathione, 369
Glycogen, 91
Glycogen synthase phosphatase, 77
Glycolytic flux, 221
Glycosaminoglycans, 329

Goat, 403, 449
Gray seal, 241
Gross efficiency, 235

[^{3}H]NMS, 289
Haematocrit, 15, 163, 241
Haemodynamcis, 185, 179, 437
Heart, 37, 49
Heart rate (HR) variability, 213
Heparin, 263
Hepatic arterial buffer reponse, 251
Hepatic artery blood flow, 251
Hot plate, 457
Human, 163, 185, 437
Human body, 69
Human cranial arteries, 141
Human head, 431
Hyaluronic acid, 329
5-hydroxytryptamine, 141
Hyperaemia, 203
Hyperalgesia, 457
Hyperthermia, 431
Hypertrophy, 375
Hypothermia, 431
Hypovolaemia, 163

IC superoxide dismutase, 263
Inositol phospholipids, 289
Intermediary filament, 123
Intestinal ion transport, 417
Intestine small, 329
Intracellular calcium, 461
Intratracheal instillation, 173
Intravenous infusion, 329
Ionophore, 221
Irreversible anatagonism, 289
Ischaemia, 263, 337
Isovolumetric contraction phase, 59

Kidney, 1, 263

Lactate, 77, 221
Lactate production, 375
Lactate transport, 323
Lactation, 449
Laser-Doppler flow, 151
LBNP, 163, 185, 437
12-lipoxygenase, 117
Liver, 91
Local forearm, 69
Lung, 173
Lymph, 297
Lymph mesenteric, 329

Macromolecules, 173
Macula densa cells, 305
Man, 163, 185, 437
Maturation, 173
Mesenteric artery, 9
Methodological problems, 69
Micropuncture blood pressure, 151
Monoclonal antibodies (mABs), 227
Motoneurones, 385
Motor unit, 227
Muscle, 91, 99, 249
Muscular work, 235
Myocardial, 975
Myocardium, 221
Myometrium, 131
Myosin heavy chains, 227

Nasal mucosa, 151
Na^+-$2C1^-$-K^+ cotransport, 305
Na^+-K^+ pump. 357
Neonatal development, 173
Neurohypophysis, 459
Neuropeptide, 457
Neuropeptide Y, 15, 315
Nicotine, 315
Non-adrenergic non-cholinergic nerves, 403
Noradrenaline, 15, 151

Oedema, 163
Oestradiol, 449
On-line data recording, 251
Orosomucoid, 1
[^{3}H] ouabain binding, 357
Ovary, 123
OXANO, 263
OXANOH, 263
Oxidative phosphorylation, 85
Oxygen consumption, 375
Oxygen saturation, 241

^{31}P magnetic resonance spectroscopy, 85
Panting, 281
Parotid gland, 289
Paw pressure, 457
Penile erection, 403
Penis, 403
Perfusion, 1
Pericardium, 59
Permeability, 297
Permeability surface area products, 37, 49
Phenylephrine, 9
Phosphocreatine, 77
Pig, 173
Plasma buffering, 241
Plasma protein, 449
Plasma volume, 163, 179
Potassium, 203
Potassium channel, 9
Potassium ions, 221
Prejunctional inhibition, 403
Preload, 59
Progesterone, 449

Prostacyclin, 109
Pseudopregnancy, 123
Purine compounds, 337

Rabbit, 9
Radicals, 369
Radio-autography, 417
Rat, 1, 123, 227, 375
Rat incisor pulp, 27
Rat muscle, 323
Receptor reserve, 289
Reflex pathways, 385
Reindeer, 281
Reperfusion, 263
Respiratory quotient, 69
Retractor penis, 403
Rhythmic contractions, 9
Ruthenium red, 315
Ryanodine, 9

Salt-loading, 459
Sarcolemmal vesicles, 323
Selective brain cooling, 281
Sensory nerves, 315
Short-circuit current, 417
Skeletal muscle, 185, 347, 369, 437
Skin, 185, 437
Skin blood flow, 195
Skin temperature, 203, 431
Smooth muscle, 131, 403
Sodium excretion, 449
Soleus, 357
Specific force, 347
Spectral analysis, 213
Spin trap, 263
Spinal cord, 457
Splanchnic blood flow, 251
Spleen, 15
Splenic blood flow, 15
Splenic capacitance function, 15
Splenic capsule, 15
Step exercise, 235
Submaximal isometric contractions, 203
Sympathetic, 185, 437
Sympathetic antagonists, 151
Sympathetic nerves, 27

Temperature regulation, 281
Thermal stress, 281
Thromboxane, 109
Tiabilis anterior, 357
Tibialis anterior muscle, 227
Tissue blood volume, 151
Training, 369
Transmitter release, 461

Ultrasound, 195
Ultrasound-Doppler blood velocity, 203
Urinary bladder, 375
Ussing chamber, 417
Uterus, 131

Valinomycin, 221
Vascular resistance, 185, 437
Vasculature, 123
Vasomotor response(s), 141, 431
Vasopressin, 341
Vasopressin processing, 459
Venous sinusoids, 151
Vitamin E, 249

Whole-body calorimetry, 91, 99
Windkessel model, 271
Work output, 347

Xanthine oxidase inhibitor, 337